

AMENDMENT TO THE CLAIMS

1. (currently amended) A method for analyzing and debugging natural language parses, comprising the steps of:
 - displaying a parse tree for a textual input, the parse tree being generated based on rules and comprising at least one connecting point having two children;
 - receiving control input selecting one of said connecting points as a selected connecting point;
 - determining whether a constituent was formed at said selected connecting point; and
 - if the determination is positive, displaying a plurality of |
 - display items proximate to said selected connecting point, the display items including alternate rules, other than the rules used in generating a constituent at the selected connecting point.
2. (previously presented) The method of claim 1, further comprising the step of:
 - receiving control input selecting one of said plurality of display items for deleting said constituent formed at said selected connecting point; and
 - in response to receiving said control input for deleting said constituent, deleting said constituent.
3. (previously presented) The method of claim 2, further comprising the steps of:
 - receiving control input selecting one of said plurality of display items for deleting said parse tree; and
 - in response to receiving said control input for deleting said parse tree, deleting constituents formed at each connecting point in said parse tree.
4. (previously presented) The method of claim 3, further

comprising the steps of:

receiving control input selecting one of said plurality of display items for displaying information regarding said children of said selected connecting point; and displaying information regarding said children of said selected connecting point.

5. (previously presented) The method of claim 4 wherein said step of displaying a first plurality of display items further comprises displaying information identifying a grammar rule comprising one of the rules applied at said selected connecting point to form said constituent.

6. (original) The method of claim 1, wherein said control input selecting one of said connecting points as a selected connecting point comprises:

receiving input from an input device placing a pointer of a user interface proximate to one of said connecting points; and receiving input representing an enabled state for the control of the input device.

7. (original) A computer-readable medium having computer-executable instructions for performing the steps recited in claim 1.

8. (original) A computer-controlled apparatus for implementing the method of claim 1.

9. (original) The method of claim 1, wherein said step of determining whether a constituent was formed at said selected connecting point comprises determining whether a rule was successfully applied at said selected connecting point to form a

constituent between said children of said selected connecting point.

10. (currently amended) A method for analyzing and debugging natural language parses, comprising the steps of:

displaying a parse tree, generated by applying grammar rules, for an input text comprising at least one connecting point having two children;
receiving control input selecting one of said connecting points as a selected connecting point;
determining whether a constituent was successfully formed at said selected connecting point; and
displaying a first plurality of menu items proximate to said selected connecting point, the menu items including an alternate grammar rules display item which, when activated, displays alternate grammar rules comprising grammar rules not ~~successfully~~ applied in generating the parse tree.

11. (Original) The method of claim 10, further comprising the steps of:

receiving control input selecting one of said first plurality of menu items for displaying a group of rules applied to successfully form a constituent at said selected connecting point; and
in response to receiving user input selecting said menu item for displaying rules applied to successfully form a constituent at said selected connecting point,
displaying a second plurality of menu items proximate to said first plurality of menu items.

12. (previously presented) The method of claim 10 wherein said children comprise constituents of said selected connection point,

and further comprising the steps of:

receiving control input activating the alternate grammar
rules display item for displaying a group of alternate
rules that were not applied at said selected connecting
point but that may be applied in view of said
constituents of said selected connecting point; and
displaying the group of alternate rules.

13. (previously presented) The method of claim 10 wherein said
children comprise constituents of said selected connecting point,
and further comprising the steps of:

receiving control input activating the alternate grammar
rules display item for displaying a group of alternate
rules that were not applied at said selected connecting
point without regard to said constituents of said
selected connecting point; and
displaying the group of alternate rules.

14. (previously presented) The method of claim 13, further
comprising the steps of:

receiving control input selecting a rule from the alternate
grammar rules as a selected rule; and
applying said selected rule at said selected connecting
point and updating said parse tree.

15. (Original) A computer-readable medium having computer-
executable instructions for performing the steps recited in claim
14.

16. (original) A computer-controlled apparatus for implementing
the method of claim 14.

17. (previously presented) The method of claim 11, further

comprising the steps of:

receiving control input activating the alternate grammar rules display items for displaying a group of alternate rules applied at said selected connecting point that did not successfully form a constituent at said selected connecting point; and displaying the group of alternate rules.

18. Canceled.

19. Canceled.

20. (previously presented) The method of claim 14, further comprising the steps of:

determining whether said application of said selected rule at said selected connecting point was successful; and in response to determining that said application of said selected rule was unsuccessful, displaying information identifying the reasons for the failure of said application of said selected rule.

21. (previously presented) The method of claim 13, further comprising the steps of:

receiving control input requesting the computation of the success or failure of each of said displayed group of alternate rules;

in response to said receiving control input requesting the computation of the success or failure of each of said displayed group of alternate rules, transmitting each rule in said displayed group of alternate rules to a parsing engine;

retrieving an associated success or failure indicator for each of said rules in said displayed group of alternate

rules from said parsing engine; and
displaying said success or failure indicators.

22. (Original) A computer-readable medium having computer-executable instructions for performing the steps recited in claim 21.

23. (Original) A computer-controlled apparatus for implementing the method of claim 21.

24. (canceled)

25. (canceled)

26. (canceled)

27. (canceled)

28. (canceled)

29. (canceled)

30. (canceled)

31. (canceled)

32. (currently amended) The method of claim 1 wherein the ~~alternate rules comprise rules unsuccessfully applied to the selected connecting point in generating the constituent.~~ if the determination is positive, the method further comprises:

determining that a given rule if applied to the selected connecting point would be unsuccessful in generating the constituent; and
including the given rule in the alternate rules.

33. (previously presented) The method of claim 1 wherein the alternate rules comprise rules not applied to the selected connecting point in generating the constituent.